Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Previously presented) An aqueous nanocarbons solution comprising: nanocarbons, and an active ingredient which is a surface active agent which is one or more selected from the group consisting of distearovlphosphatidylcholine (DSPC), dimyristoylphosphatidylcholine (DMPC), dipalmitoylphosphatidylcholine (DPPC), 3-[(3cholamidopropyl)dimethylamino]-2-hydroxy-1-propanesulfonate (CHAPSO), 3-[(3-cholamidopropyl) dimethylamino]propanesulfonate (CHAP) and N, N-bis (3-D-gluconamidopropyl) cholamide, or which is alginates having a weight average molecular weight of from 10,000-to-50,000,000, and wherein the active ingredient encapsulates the nanocarbons in globular micelles or pseudo micelles.

2-6. (Cancelled)

- 7. (Previously presented) The solution according to Claim 1, which further comprises a nanocarbon-permeating substance and an oxidizing agent and the pH ranges from 6 to 14.
- (Previously presented) The solution according to Claim 7, wherein the nanocarbon-permeating substance is lithium ion.
- (Previously presented) The solution according to Claim 7, wherein the oxidizing agent is a persulfate.
- 10. (Previously presented) The solution according to Claim 1, wherein the nanocarbons are carbon nanotubes (single- and multi-layered types and cup-stack types), carbon nanofibers or carbon nanohorns.

11-23. (Cancelled)

24. (Previously presented) A process for producing an aqueous nanocarbons solution comprising the step of adding a crude product to an aqueous solution containing as an active ingredient to encapsulate the nanocarbon in the crude product, a surface active agent capable of forming globular micelles having a diameter of from 50 to 2000 nm in the

Appl. No. 10/537,478
Reply to Office Action of September 28, 2009

solution or alginates having a weight average molecular weight of from 10,000 to 50,000,000, said surface active agent is one or more selected from the group consisting of distearoylphosphatidylcholine (DSPC), dimyristoylphosphatidylcholine (DMPC), dipalmitoylphosphatidylcholine (DMPC), dipalmitoylphosphatidylcholine (DPPC), 3-[(3-cholamidopropyl)dimethylamino]-2-hydroxy-1-propanesulfonate (CHAPSO), 3-[(3-cholamidopropyl)dimethylamino]-propanesulfonate (CHAP) and N,N-bis (3-D-gluconamidopropyl)-cholamide, or said alginates, and wherein the active ingredient encapsulates the nanocarbons in globular micelles or pseudo micelles.

25-32. (Cancelled)